



OSBA 15070   
 Refrigerated Salad Bar With Lift  
**COLD**



Oak (OO)



Mahogany (MO)



Walnut (WO)

**Standard:**  
 Units is made complete stainless steel body. Underneath refrigerator with 2 doors and suitable for GN 1/1-100 size. Plexiglass roofing can be electrically raised and lowered. Roof light. Digital thermometer thermostat.

IGN CONTAINERS ARE ORDERED SEPERATELY.

Salad Bar with Lift and Refrigerator

TYPE	CODE	MODEL	L	W	H	POWER	WEIGHT	VOLTAGE		m³	PRICE	
OSBA 15070	7912.15070.OO	ELEC	1570	720	880/1500	0.25 kW Monofaze		125 kg.	220V./50Hz.	2.4		O
OSBA 15070	7912.15070.MO	ELEC	1570	720	880/1500	0.25 kW Monofaze		125 kg.	220V./50Hz.	2.4		M
OSBA 15070	7912.15070.WO	ELEC	1570	720	880/1500	0.25 kW Monofaze		125 kg.	220V./50Hz.	2.4		W




**OSBE 16894** CE ENEC TÜV-CB  
Salad Bar Without Underneath  
Refrigerator (Wood)  
**COLD**


Wooden underneath. Foldable service bar.  
Cooling pool runs with static system. Top  
light, 4 pcs. GN 1/1-150 capacity, wheels.



Oak  
Meşe  
(OO)



Mahogany  
Maun  
(MO)



Walnut  
Ceviz  
(WO)

!GN CONTAINERS ARE ORDERED SEPERATELY.



**OSBN 15894** CE ENEC  
Neutral Service Unit (Wood)  
**NOTR**

Pool is heated with heating  
elements located under the pool. 4  
pcs. GN 1/1-150 capacity, wheels.  
Digital thermometer thermostat.



Wooden underneath.  
Foldable service bar



**HOT**

### Heated Service Unit

TYPE	CODE	MODEL	L	W	H	POWER	TEMP/	WEIGHT	VOLTAGE	m <sup>3</sup>	PRICE	
OSBI 15894	7912.15894.OO	ELEC	1565	725/1090	900/1460	2 kW Monofaze	+70/+80 °C	66 kg.	220V. / 50Hz.	2.72 m <sup>3</sup>		O
OSBI 15894	7912.15894.MO	ELEC	1565	725/1090	900/1460	2 kW Monofaze	+70/+80 °C	66 kg.	220V. / 50Hz.	2.72 m <sup>3</sup>		M
OSBI 15894	7912.15894.WO	ELEC	1565	725/1090	900/1460	2 kW Monofaze	+70/+80 °C	66 kg.	220V. / 50Hz.	2.72 m <sup>3</sup>		W

### Salad Bars

#### Economical Salad Bar without Underneath Refrigerator

OSBE16894	7912.16894.OO	ELEC	1565	725/1090	900/1460	0.23 kW Monofaze	+2 / +7 °C	80 kg.	220-240V. / 50Hz.	2.72 m <sup>3</sup>		O
OSBE16894	7912.16894.MO	ELEC	1565	725/1090	900/1460	0.23 kW Monofaze	+2 / +7 °C	80 kg.	220-240V. / 50Hz.	2.72 m <sup>3</sup>		M
OSBE 16894	7912.16894.WO	ELEC	1565	725/1090	900/1460	0.23 kW Monofaze	+2 / +7 °C	80 kg.	220-240V. / 50Hz.	2.72 m <sup>3</sup>		W



SBEC 01   
 Economic Salad Bar With GN Cells  
 Wooden Surface  
**COLD**

TYPE	CODE	MODEL	L	W	H	POWER	WEIGHT	TEMP.	PRICE
SBEC-01	7EKO.OSBEC.01	COLD	1490	780	1510	0.25 kW	150 kg.	+3 / +7 °C	<b>COLD</b>
SBEH-01	7EKO.OSBEH.01	HOT	1490	780	1510	0.25 kW	130 kg.	+3 / +7 °C	<b>HOT</b>

! GN containers are ordered separately.



SBEC 02   
 Economic Salad Bar With Plate  
 Wooden Surface  
**COLD**

TYPE	CODE	MODEL	L	W	H	POWER	WEIGHT	VOLTAGE	PRICE
SBEC-02	7EKO.OSBEC.02	COLD	1490	780	1510	0.25 kW	150 kg.	+3 / +7 °C	<b>COLD</b>
SBEH-02	7EKO.OSBEH.02	HOT	1490	780	1510	2.00 kW	130 kg.	+3 / +7 °C	<b>HOT</b>

**WOOD COLORS OPTIONS**



Pear



Walnut



Teak



Wenge



Kayın



Light Zebrano



Dark Zebrano



Maple



Ebony



Cherry

There may be differences between the printed colors and the actual colors of the product.