

## CAMILA MEGGY

Chest Heated Ironers




**Small Piece  
Automatic Collection  
and Stacking System  
(Optional)**

**Conveyor  
and  
Stacker**

**Photocell Aided  
Sensitive Textiles  
Measurement**

**Automatic Speed  
Synchronization  
In Between Ironing  
and Folding**

**Height  
Adjustable  
and Vacuumed  
Feeding  
Conveyor**

  
**3 Primary and  
3 Cross Folds**

**DOUBLE  
LANE  
FOLDING**

  
**GAS HEATED**

  
**PLC  
Controlled  
10 inch Touch  
Screen Panel**

**MEGGY**  
Chest Heated Ironers



**Maximum Ironing Quality with Double Sided Contact In Between The Chests and Textiles**

**Engineered Pass System In Between Chests Without Stripes & Ribbons**

**Engineered Convex Type Chest System**

		Camila Meggy
		Gas
Number Of Chests	(Pcs.)	2
Chest Diameter	(mm)	2x800
Ironing Width	(mm)	3.500
Ironing Capacity	(Kg/hr)	280-320
Ironing Capacity	(Pcs/hr)	350-400
Ironing Speed	(m/min)	4-18
Motor Power	(Kw)	9,34
Fan Power	(Kw)	2 x 1,5
Gas Heating Power	(Kcal/hr)	99.000
Width	(mm)	4.383 (6.110)
Depth	(mm)	4.166
Height	(mm)	2.645
Weight	(Kg)	9.350

**1 lane / 1-2-3 primary fold  
1-2-3 cross fold  
2 lanes / 1-2 primary fold  
1-2 cross fold  
3 lanes / 1-2-3 primary fold**

**Minimum Maintenance With Ribbon Free & Crush Springs Free Engineered Design**

**Air Regulator and Automatic Air Discharge System**




## VIRGO

Linen Folding

3000 - 3300 - 3500 mm  
Width



### TOLKAR ULTIMATE CONTROL SYSTEM

-  Remote access, instant mobile tracking
-  USB programme transfer
- 100 recipes
-  **Reporting**, amount of laundry, consumption values and working hours are being reported. (Optional)
- **SmarteYE** centralized control and data acquisition (Optional)

**Single lane**  
**2 primary**  
**3 cross folds**



Double lane 2 primary  
2 cross folds and stacking  
(linen, f&b) (Optional)

4 lanes, 2 primary folds  
(f&b) (Optional)

Blanket and duvet folding  
(Optional)

**AUTOMATIC SPEED  
SYNCHRONIZATION  
WITH IRONER**

**AUTOMATIC STACKER  
AND CONVEYOR**

for easy handling  
double stacker & conveyor  
(Optional)

  
**PLC  
Controlled**  
7" Touch  
Screen Panel

		VIRGO 3000	VIRGO 3300	VIRGO 3500
Folding Capacity	(Pcs/hour)	1.800	1.800	1.800
Working Speed	(m/min)	12-60 adjustable		
Folding Dimensions	(cm)	40x40 - 300x350		
Motor Power (Total)	(Kw)	3	3	3
Primary/Cross Folding		2 primary/3 cross		
Width	(mm)	3.710(5.034)	4.010(5.334)	4.210(5.534)
Depth	(mm)	1.757	1.757	1.757
Height	(mm)	3.894	3.894	3.894
Weight (Conveyor included)	(Kg)	1.750	2.050	2.200

Tolkar reserves changing the technical specifications of the machines due to technological necessities without prior notice