

LineMiss / LineMicro Serisi Fırınlar 

 **XF135**
UNOX ARIANNA



 **XFT04-HS**
UNOX ARIANNA



 **XEFT04-EU-ELDV**
UNOX ROSELLA



| TİP |  XF135 |
|-------------|--|
| KOD | 9890.XF135.00 |
| EBATLAR | 600 x 651 x 509 mm |
| KAPASİTE | 4 TEPSİ |
| TEPSİ EBADI | 460 x 330 mm |
| GERİLİM | 230 V |
| TOPLAM GÜC | 3 kW |
| AĞIRLIK | 31 kg |
| FİYAT | |


| TİP |  XFT-04-HS |
|-------------|--|
| KOD | 9890.XFT04.HS |
| EBATLAR | 600 x 669 x 500 mm |
| KAPASİTE | 4 TEPSİ |
| TEPSİ EBADI | 460 x 330 mm |
| GERİLİM | 230 V 1N |
| TOPLAM GÜC | 3 kW |
| AĞIRLIK | 39 kg |
| FİYAT | |

| TİP |  XEFT-04EU-ELDV |
|-------------|---|
| KOD | 9890.XFT04.EU |
| EBATLAR | 800 x 811 x 500 mm |
| KAPASİTE | 4 TEPSİ |
| TEPSİ EBADI | 600 x 400 |
| GERİLİM | 400 V 3N |
| TOPLAM GÜC | 6.9 kW |
| AĞIRLIK | 57 kg |
| FİYAT | |

 **XF023**
UNOX ANNA



 **XEKPT-08EU-C**
MAYALAMA DOLABI



 **XEKPT-10EU-C**
MAYALAMA DOLABI



| TİP |  XF023 |
|-------------|--|
| KOD | 9890.XF023.00 |
| EBATLAR | 800 x 792 x 750 mm |
| KAPASİTE | 8 TEPSİ |
| TEPSİ EBADI | 600 x 400 mm |
| GERİLİM | 220-240 V 50 Hz |
| TOPLAM GÜC | 2.3 kW |
| AĞIRLIK | 49 kg |
| FİYAT | |

| TİP |  XEKPT-08EU-C |
|-------------|---|
| KOD | 9890.XEKPT.8EUC |
| EBATLAR | 800 x 792 x 750 mm |
| KAPASİTE | 8 TEPSİ |
| TEPSİ EBADI | 600 x 400 mm |
| GERİLİM | 220-240 V 50-60 Hz |
| TOPLAM GÜC | 2.3 kW |
| AĞIRLIK | 49 kg |
| FİYAT | |

| TİP |  XEKPT-10EU-C |
|-------------|---|
| KOD | 9890.XEKPT1-0EUC |
| EBATLAR | 800 x 792 x 886 mm |
| KAPASİTE | 10 TEPSİ |
| TEPSİ EBADI | 600 x 400 mm |
| GERİLİM | 220-240 V 50-60 Hz |
| TOPLAM GÜC | 1,2 kW |
| AĞIRLIK | 45 kg |
| FİYAT | |



Bakertop Plus & One Kombi Fırın



XBEC04-EU-EPRM

UNOX BAKERTOP



| TİP | XBEC-04EU-EPRM | XBEC-04EU-EIRM |
|---------------|------------------------------|------------------------------|
| KOD | 9890.XBC04.EP | 9890.XBC04.E1 |
| MODEL | Plus Electric | One Electric |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V - 3N /220-240 V 1N | 380-415 V - 3N /220-240 V 1N |
| ELEKTRİK GÜCÜ | 10,6 kW | 7,4 kW |
| GAZ GÜCÜ | - | - |
| EBATLAR | 860 x 957 x 675 mm | 860 x 957 x 675 mm |
| TEPSİ EBADI | 460x330 mm | 460x330 mm |
| KAPASİTE | 4 TEPSİ | 4 TEPSİ |
| AĞIRLIK | 95 kg | 90 kg |
| FİYAT | | |



XBC06-EU-EPRM

UNOX BAKERTOP



| TİP | XEBC-06EU-EPRM | XEBC-06EU-GPRM | XEBC-06EU-EIRM |
|---------------|------------------------------|------------------------|------------------------------|
| KOD | 9890.XBC06.EP | 9890.XBC06.GP | 9890.XBC06.E1 |
| MODEL | Plus Electric | Plus Gas | One Electric |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V - 3N /220-240 V 1N | 220-240V-1N | 380-415 V - 3N /220-240 V 1N |
| ELEKTRİK GÜCÜ | 14 kW | 1 kW | 10,1 kW |
| GAZ GÜCÜ | - | G20-G25-G30-G31 / 19kW | - |
| EBATLAR | 860 x 967 x 842 mm | 860 x 967 x 842 mm | 860 x 967 x 842 mm |
| TEPSİ EBADI | 600 x 400 mm | 600 x 400 mm | 600 x 400 mm |
| KAPASİTE | 6 TEPSİ | 6 TEPSİ | 6 TEPSİ |
| AĞIRLIK | 112 kg | 110 kg | 103 kg |
| FİYAT | | | |



XBC10-EU-EPRM

UNOX BAKERTOP



| TİP | XEBC-10EU-EPRM | XEBC-10EU-GPRM | XEBC-10EU-EIRM |
|---------------|------------------------------|--------------------------|------------------------------|
| KOD | 9890.XBC10.EP | 9890.XBC10.GP | 9890.XBC10.E1 |
| MODEL | Plus Electric | Plus Gas | One Electric |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V - 3N /220-240 V 1N | 220-240 V-1N | 380-415 V - 3N /220-240 V 1N |
| ELEKTRİK GÜCÜ | 21,3 kW | 1,4 kW | 14,9 kW |
| GAZ GÜCÜ | - | G20,G25,G30,G31,22,25 kW | - |
| EBATLAR | 860 x 957 x 1162 mm | 860 x 967 x 1112 mm | 860 x 967 x 1162 mm |
| TEPSİ EBADI | 600 x 400 mm | 600 x 400 mm | 600 x 400 mm |
| KAPASİTE | 10 TEPSİ | 10 TEPSİ | 10 TEPSİ |
| AĞIRLIK | 148 kg | 163 kg | 136 kg |
| FİYAT | | | |

Bakertop Plus & One Kombi Fırın 

 | XEBL16-EU-EPRS
UNOX BAKERTOP



| TİP | XEBL-16-EU-YPRS | XEBL-16EU-GPRS | XEBL-16EU-EIRS |
|---------------|-------------------------------|-------------------------|----------------------------|
| KOD | 9890.XBC16.EP | 9890.XBC16.GP | 9890.XBC16.E1 |
| MODEL | Plus Electric | Plus Gas | One Electric |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V - 3N / 220-240 V 1N | 220-240 V-1N | 380-415 V-3N / 220-240V 1N |
| ELEKTRİK GÜCÜ | 38,5 kW | 2,5 kW | 29,3 kW |
| GAZ GÜCÜ | - | G20-G25-G30-G31 / 48 kW | - |
| EBATLAR | 882 x 925 x 1875 mm | 892 x 925 x 1875 mm | 882 x 925 x 1875 mm |
| TEPSİ EBADI | 600 x 400 mm | 600 x 400 mm | 600 x 400 mm |
| KAPASİTE | 16 TEPSİ | 16 TEPSİ | 16 TEPSİ |
| AĞIRLIK | 292 kg | 309 kg | 262 kg |
| FİYAT | | | |

 | XEFT-06-EU-ELRV
UNOX BAKERLUX



| TİP | XEFT-06EU-ELRV / LED |
|---------------|----------------------|
| KOD | 9890.XEFT06.EU |
| MODEL | Dynamic Electric |
| FREKANS | 50 / 60 Hz. |
| GERİLİM | 400V - 3N |
| ELEKTRİK GÜCÜ | 10,3 kW |
| GAZ GÜCÜ | - |
| EBATLAR | 800 x 829 x 682 mm |
| TEPSİ EBADI | 600 x 400 mm |
| KAPASİTE | 6 TEPSİ |
| AĞIRLIK | 96 kg |
| FİYAT | |

 | XEFT-10-EU-ELRV
UNOX BAKERLUX



| TİP | XEFT-10EU-ELRV / LED |
|---------------|----------------------|
| KOD | 9890.XEFT10.EU |
| MODEL | Dynamic Electric |
| FREKANS | 50 / 60 Hz. |
| GERİLİM | 400V - 3N |
| ELEKTRİK GÜCÜ | 15,5 kW |
| GAZ GÜCÜ | - |
| EBATLAR | 800 x 829 x 952 mm |
| TEPSİ EBADI | 600 X 400 mm |
| KAPASİTE | 10 TEPSİ |
| AĞIRLIK | 96 kg |
| FİYAT | |



Cheftop Plus & One Kombi Fırın



XEVC-0511-EPRM

UNOX CHEFTOP



| TİP | XEVC-0511-EPRM | XEVC-0511-GPRM | XEVC-0511-EIRM |
|---------------|------------------------------|------------------------|------------------------------|
| KOD | 9890.X0511.EP | 9890.X0511.EG | 9890.X0511.E1 |
| MODEL | Plus Electric | Plus Gas | One Electric |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V - 3N /220-240 V 1N | 220-240 V-1N | 380-415 V - 3N /220-240 V 1N |
| ELEKTRİK GÜCÜ | 9,3 kW | 0,6 kW | 9,9 kW |
| GAZ GÜCÜ | - | G20-G25-G30-G31 / 15kW | - |
| EBATLAR | 750 x 773 x 675 mm | 750 x 783 x 675 mm | 750 x 783 x 675 mm |
| TEPSİ EBADI | GN 1/1 | GN 1/1 | GN 1/1 |
| KAPASİTE | 5 TEPSİ | 5 TEPSİ | 5 TEPSİ |
| AĞIRLIK | 70 kg | 83 kg | 66 kg |
| FİYAT | | | |



X0711.EP

UNOX CHEFTOP



| TİP | XEVC-0711-EPRM | XEVC-0711-GPRM | XEVC-0711-EIRM |
|---------------|------------------------------|------------------------|------------------------------|
| KOD | 9890.X0711.EP | 9890.X0711.EG | 9890.X0711.E1 |
| MODEL | Plus Electric | Plus Gas | One Electric |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V - 3N /220-240 V 1N | 220-240 V-1N | 380-415 V - 3N /220-240 V 1N |
| ELEKTRİK GÜCÜ | 11,7 kW | 1 kW | 11,7 kW |
| GAZ GÜCÜ | - | G20-G25-G30-G31 / 19kW | - |
| EBATLAR | 750 x 773 x 843 mm | 750 x 773 x 843 mm | 750 x 783 x 843 mm |
| TEPSİ EBADI | GN 1/1 | GN 1/1 | GN 1/1 |
| KAPASİTE | 7 TEPSİ | 7 TEPSİ | 7 TEPSİ |
| AĞIRLIK | 85 kg | 104 kg | 82 kg |
| FİYAT | | | |



XEVC-1011-EPRM

UNOX CHEFTOP



| TİP | XEVC-1011-EPRM | XEVC-1011-GPRM | XEVC-1011-EIRM |
|---------------|------------------------------|------------------------|------------------------------|
| KOD | 9890.X1011.EP | 9890.X1011.EG | 9890.X1011.E1 |
| MODEL | Plus Electric | Plus Gas | One Electric |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V - 3N /220-240 V 1N | 220-240 V-1N | 380-415 V - 3N /220-240 V 1N |
| ELEKTRİK GÜCÜ | 11,7 kW | 1 kW | 18,5 kW |
| GAZ GÜCÜ | - | G20-G25-G30-G31 / 22kW | - |
| EBATLAR | 750 x 783 x 1010 mm | 750 x 783 x 1010 mm | 750 x 783 x 1010 mm |
| TEPSİ EBADI | GN 1/1 | GN 1/1 | GN 1/1 |
| KAPASİTE | 10 TEPSİ | 10 TEPSİ | 10 TEPSİ |
| AĞIRLIK | 98 kg | 117 kg | 95 kg |
| FİYAT | | | |

Cheftop Plus & One Kombi Fırın 

 | **XEVL2011-YPRS**
UNOX CHEFTOP



| TİP |  XEVL-2011-YPRS |  XEVL-2011-GPRS |  XEVL-2011-EIRS |
|---------------|--|--|--|
| KOD | 9890.X2011.EP | 9890.X2011.EG | 9890.X2011.E1 |
| MODEL | Plus Electric | Plus Gas | One Electric |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V ~ 3N /220-240 V 1N | 220-240 V-1N | 380-415 V ~ 3N /220-240 V 1N |
| ELEKTRİK GÜCÜ | 38,5kW | 2,5 kW | 29,3 kW |
| GAZ GÜCÜ | - | G20-G25-G30-G31 / 48 kW | - |
| EBATLAR | 892 x 925 x 1875 mm | 892 x 925 x 1875 mm | 892 x 925 x 1875 mm |
| TEPSİ EBADI | GN 1/1 | GN 1/1 | GN 1/1 |
| KAPASİTE | 20 TEPSİ | 20 TEPSİ | 20 TEPSİ |
| AĞIRLIK | 292 kg | 309 kg | 262 kg |
| FİYAT | | | |

 | **XEVC-1021-EPRM**
UNOX CHEFTOP



| TİP |  XEVC-1021-EPRM |  XEVC-1021-GPRM |
|---------------|--|--|
| KOD | 9890.X1021.EP | 9890.X1021.EG |
| MODEL | Plus Electric | Plus Gas |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V ~ 3N /220-240 V 1N | 220 V-1N |
| ELEKTRİK GÜCÜ | 31 kW | 1,4 kW |
| GAZ GÜCÜ | - | G20-G25-G30-G31 / 42 kW |
| EBATLAR | 860 x 1145 x 1162 mm | 860 x 1145 x 1162 mm |
| TEPSİ EBADI | GN 2/1 | GN 2/1 |
| KAPASİTE | 10 TEPSİ | 10 TEPSİ |
| AĞIRLIK | 170 kg | 183 kg |
| FİYAT | | |

 | **XEVL-2021-YPRS**
UNOX CHEFTOP



| TİP |  XEVL-2021-YPRS |  XEVL-2021-GPRS |
|---------------|--|--|
| KOD | 9890.X2021.EP | 9890.X2021.EG |
| MODEL | Plus Electric | Plus Gas |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 380-415 V - 3N /220-240 V 1N | 220-240 V-1N |
| ELEKTRİK GÜCÜ | 65 kW | 2,6 kW |
| GAZ GÜCÜ | - | G20-G25-G30-G31 / 75 kW |
| EBATLAR | 892 x 1164 x 1875 mm | 882 x 1207 x 1866 mm |
| TEPSİ EBADI | GN 2/1 | GN 2/1 |
| KAPASİTE | 20 TEPSİ | 20 TEPSİ |
| AĞIRLIK | 339 kg | 363 kg |
| FİYAT | | |



Taş Tabanlı Fırın / Hızlı Pişirme Fırını / Davlumbazlar



XEBDC-02EU-D
UNOX TAŞ TABANLI FIRIN



| TİP | XEBDC-01EU-D | XEBDC-02EU-D |
|---------------|---------------------|---------------------|
| KOD | 9890.XBC01.EU | 9890.XBC02.EU |
| MODEL | integrated control | integrated control |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 230 V 1N | 400 V 1N |
| ELEKTRİK GÜCÜ | 2,7 kW | 11,7 kW |
| GAZ GÜCÜ | - | - |
| EBATLAR | 860 x 800 x 400 mm | 860 x 800 x 400 mm |
| TEPSİ EBADI | 600 x 400 | 600 x 400 |
| KAPASİTE | 1 TEPSİ | 1 TEPSİ |
| AĞIRLIK | 62 kg | 78 kg |
| FİYAT | | |



XESW-03HS-EDDN
UNOX HIZLI PIŞİRME FIRINI



| TİP | XESW-03HS-EDDN |
|---------------|-----------------------|
| KOD | 9890.XESW03.HS |
| MODEL | - |
| FREKANS | 50 Hz. |
| GERİLİM | 380-415 3N |
| ELEKTRİK GÜCÜ | 3,35 kW |
| GAZ GÜCÜ | - |
| EBATLAR | 600 x 797 x 541 mm |
| TEPSİ EBADI | 450 x 330 |
| KAPASİTE | 13 TEPSİ |
| AĞIRLIK | 88 kg |
| FİYAT | |



XEBHC-HCEU
DAVLUMBAZ



| TİP | EECHC | XEBHC-HCEU |
|---------------|--------------------|---------------------|
| KOD | 9885.EECHC.00 | 9885.XEBHC.HCEU |
| FREKANS | 50 / 60 Hz. | 50 / 60 Hz. |
| GERİLİM | 220-240V 1N | 220-240V 1N |
| ELEKTRİK GÜCÜ | 0,1 kW | 0,1 kW |
| EBATLAR | 535 x 818 x 343 mm | 860 x 1145 x 240 mm |
| HAVA AKIŞI | 310-390 m³/h | 310-390 m³/h |
| AĞIRLIK | 20 kg | 25 kg |
| FİYAT | | |